
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



FEDERAL - STATE - PRIVATE **COOPERATIVE SNOW SURVEYS** for ALASKA

U. S. DEPT. OF AGRICULTURE NATIONAL AGRICULTURAL LIBRARY


AUG 21 1967

CURRENT SERIAL RECORDS

U. S. DEPARTMENT of AGRICULTURE, SOIL CONSERVATION SERVICE and ALASKA SOIL CONSERVATION DISTRICT

Data included in this report were obtained by the agencies named above in cooperation with the U.S. Army Corps of Engineers, U.S. Bureau of Reclamation, Alaska Highway Dept., Alaska Department of Fish and Game and University of Alaska, Greater Anchorage Area Borough, and others.

IIIIII AS OF MAY 1, 1967



0 50 100 150 SCALE IN MILES 120.1 USDA SCS PORTLAND OREG 1960 7+0-16513-1

SNOW SURVEYS

Report Prepared by T. G. FREEMAN, SNOW SURVEY SUPERVISOR

Issued by

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE BLAINE O. HALLIDAY, STATE CONSERVATIONIST P. O. BOX F, PALMER, ALASKA

INDEX OF ALASKA SNOW COURSES

Map No.	Course Name	COURSE No.	ELEV.	Map No.	COURSE NAME	COURSE No.	ELEV.
1	Anaktuvuk Pass	51TT1A	2100	38	Fog Lakes	48NN1A	2270
2	Bettles Field	51RR1A	640	39	Oshetna Lake	47NN1A	2950
3	Chandalar Lake	48SS1A	2040	40	Little Nelchina	47NN2a	4160
4	Squaw Lake	48SS2a	2150	41	Lake Louise	46NN2A	2400
5	Venetie	46SS1A	610	42	Lake Minchumina	52001A	730
6	Arctic Village	45TT1A	2300	43	Farewell Lake	53NN1A	1090
7	Koness Lake	44SS1a	1790	44	Chelatna Lake	51NN1a	1650
8	Coleen River	42SS1A	1100	45	Peters Hills	50NN1a	2010
9	Vundik Lake	43SS1a	950	46	Talkeetna	50NN2	350
10	Fort Yukon	44RR1A	425	47	Bald Mt. Lake	49NN1A	2150
11	Black River	42RR1A	650	48	Skwentna	51MM1A	158
12	Circle City	44QQ3A	600	49	Alexander Lake	50MM,1A	200
13	Bull Lake	42QQ1a	950	50	Willow Airstrip	59MM2	150
14	Eagle Village	41PP1A	900	51	lndependence Mine	49MM7	3300
15	Boundary	41PP3A	3300	52	McArthur	51LL1A	120
16	Chicken Airstrip	41PP2A	1.650	53	Sheep Mountain	45MM1	2700
17	Yak Pasture	47PP1	540	54	St. Anne's Lake	46MM1A	1985
18	Cleary Summit	47QQ1A	2230	55	Worthington Glacier	45MM2	2400
19	Little Chena	46QQ2A	2200	56	Moraine	48MM1	2100
20	Mt. Ryan	46QQ1A	2950	57	Ptarmigan	48MM2	3000
21	Chena Hot Springs	46QQ3	1250	58	Marmot	48MM8A	2000
22	Big Windy	44QQ2A	3850	59	Goat	48MM7A	3200
23	Munson Ridge	46PP1A	3100	60	Grizzly	48MM4A	5000
24	French Creek	46PP2	2010	61	Arctic Valley #1	49MM1	500
25	Little Salcha	46PP3	1500	62	Arctic Valley #2	49MM2	1000
26	Glenn Creek	47PP2	925	63	Arctic Valley #3	49MM3	2030
27	Colorado Creek	46PP4	750	64	Arctic Valley #4	49MM4	2330
28	Caribou Mine	45PP2A	1115	65	Arctic Ski Bowl	49MM5	3000
29	Big Delta	45PP1	975	66	Bird Creek	49 M M 6 A	2350
30	Tok Junction	43001	1650	67	Ship Creek	49MM7A	1750
31	Mentesta Pass	43NN1	2430	68	Indian Pass	49MM8A	2350
32	Mankomen Lake	44NN1	3050	69	Log Cabin (B.C.)	35KK1	2880
33	Fielding Lake	45001A	3000	70	Upper Long Lake	33 JJ 2a	1000
34	Haggard Creek	45NN1A	2540	71	Long Lake	33 J J1A	1075
35	Monahan Flat	47001A	2710	72	Speel River	33 JJ 3A	275
36	Clearwater Lake	46NN1A	3100	73	Crater Lake	33 JJ 4a	1750
37	Sanford River	44NN2a	2280				

MAY 1967

Cool weather during the month of April caused a delay in snowmelt at the lewer elevations throughout Alaska. Greater than normal snow cover exists in nearly all areas where snow surveys were made as of May 1.

April storms added substantial amounts to the high elevation snowpack in interior Alaska. Warm temperatures in May could cause a rapid snowmelt, but the generally dry soils in the region are expected to reduce the runoff.

Measurements were not made in the Upper Yukon, Kcyukuk,or Kuskokwim basins in May. Portions of the Upper Yukon and the Koyukuk had heavy snow cover in April and this condition still exists.

TANANA-CHENA Drainage

Near record snow depths and water equivalents were measured on many of the Chena River snow courses on May 1. Snow cover on this watershed is 155% of last year, and 142% of the average for the past five years. High elevation snow is greater than has been recorded for the past several years.

The Upper Tanana, including the Salcha River drainage, has a heavy snow cover. Snow measured at Fielding Lake, at the head of the Delta River, however, continued to be less than normal.

Dry soils in the Tanana-Chena area should absorb a portion of the spring snowmelt.

MATANUSKA-SUSITNA-COPPER Drainage

Very little melting has occurred in the Susitna watershed as of May 1. Snow cover in some portions of this watershed is greater than it has been for several years. The deep snow in the lower Susitna valley and the area west of Cook Inlet has resulted in some moose winterkill in the region.

The Matanuska and Copper Rivers drainage systems have experienced warmer temperature and considerable melting has taken place. Snow depths and water content at courses in this area were generally less than last month, but higher than last year at this time.

COASTAL Drainage

Cool temperatures have delayed melting at the higher elevations on the Coastal drainage near Anchorage. Snow courses in this area have a higher water content than average for May 1.

SNETTISHAM Drainage

A generally heavy snow pack exists on the Snettisham watershed near Juneau. The snow-water equivalent on the courses was increased over last month. A snow depth of 168 inches, with water content of 81 inches, and a density of 48%, was measured at the Crater Lake station. This was the greatest in the State.

ALASKA SNOW SURVEYS

Previous

		ALASKA	21011	SUIT	~		Previous
DRAINAGE BASIN	MAP	DATE OF	SNOW DEPTH	WATER CONTENT		CONTENT	YEARS OF
SNOW COURSE	N 0.	SURVEY	(INCHES)	(INCHES)	LAST YEAR	AVERAGE *	RECORD
TANANA-CHENA Draimage: Yak Pasture Cleary Summit Little Chena Mt. Ryan Chena Hot Spring Big Windy Munson Ridge French Creek Little Salcha Glenn Creek Colorado Creek Caribou Mine Big Delta Tok Junction Mentasta Pass Fielding Lake	17 18 19 20 22 23 24 25 26 27 28 29 30 31 33	5/4/67 4/30/67 4/30/67 4/30/67 4/30/67 4/30/67 5/1/67 5/1/67 - 4/30/67 4/30/67 4/29/67 4/29/67 4/29/67 4/28/67	60 35 32 45 20 22 58 41 28 - 24 25 - 10 26 35	1.7 9.9 8.2 13.5 6.4 5.9 26.7 12.1 8.7 - 6.0 7.1 - 1.8 7.2 9.1	0 7.6 4.1 7.5 3.4 2.5 19.3 9.8 6.5 3.1 4.7 4.7 - 5.3 11.4	2.1 7.5 6.0 9.0 4.7 4.9 16.8 8.0 5.1 - - - 2.0 6.2 13.0	56555555-11-456
COPPER RIVER Drainage: Mankomen Lake Haggard Creek **Sanford River **St.Anne's Lake	32 34 37 54	5/1/67 4/28/67 5/1/67 5/1/67	29 26 6E 14E	7.8 6.2 1.8E 4.0E	- 5.6 2.3	-	- 1 - 1
MATANUSKA-SUSITN Drainage: **Monahan Flat **Clearwater Lake Fog Lakes **Oshetna Lake Lake Louise **Chelatna Lake Talkeetna **Eald Mtn.Lake Skwentna **Alexander Lake Willow Airstrip Independence Min Sheep Mountain	356 3891 446 495	5/1/67 5/1/67 5/1/67 5/1/67 5/1/67 5/1/67 5/1/67 5/1/67 5/1/67 5/1/67	24E 14E 14 22 36E 29 33E 21 33E 20 - 14	7.2E 4.0E 4.0 3.9E 5.0 10.8E 9.8 9.4E 9.1 11.2E 7.0 - 3.7	7.1 4.6 4.4 3.2 2.0 9.9 - 5.2 - 7.3 3.4 - 1.9	7.3 4.3 3.9 3.8 3.2 - - - - - - - - - - - - - - - - - - -	2 2 2 2 1 - 2 - - 9
COASTAL Drainage *McArthur Worthington Glacier Arctic Valley #1 Arctic Valley #2 Arctic Valley #3 Arctic Valley #4	; 52 55 61 62 63 64	5/1/67 5/2/67 4/28/67 4/28/67 4/28/67 4/28/67	42E 33 T 19 19	18E 9.6 - T 4.1 4.9	11.9 17.6 _ 2.4 3.9	- 22.0 - 3.8 5.1	- 9 2 2 2 2

** Aerial Markers

(*) Average for Period of Record

T=Just traces of snow

· · · ·

.

.

.

ALASKA SNOW SURVEYS

Previous

		ALADKA	*	~ • • • • =	- ~		Previous
DRAINAGE BASIN	MAP	OATE OF	SNOW	WATER	WATER C	ONTENT	YEARS
AND SNOW COURSE	NO.	SURVEY	DEPTH (INCHES)	CONTENT (INCHES)	LAST YEAR	AVERAGE *	OF RECORD
COASTAL Drainag (Continued): Arctic Ski Bowl Bird Creek Ship Creek Indian Pass	se 65 66 67 68	4/28/6 5/3/67 5/3/67 5/3/67	7 49 45 29 57	15.4 16.2 9.4 19.2	12.9	12.6 _ _ _	2
SNETTISHAM Drainage: Upper Long Lake Long Lake Speel River Crater Lake	70 71 72 73	5/1/67 5/1/67		59.0 58.6 37.1 81.0	46.2 47.8 34.0 83.5	37.6 44.7 31.6 63.8	2 2 2 2 2
Log Cabin (B.C.)	69	5/3/67	28	10.8	9.8	11.5	9

U



. . . .

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snawpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season as they affect runoff will add to be an effective average. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each locatian. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1400 snow courses in Western United States and in the Columbia Basin in British Columbia. In the near future, it is anticipated that automatic snow water equivalent sensing devices along with radio telemetry will provide a continuous record of snaw water equivalent at key locations.

Detailed data on snaw course and sail moisture measurements are presented in stote and local reports. Other data or reservair storage, summaries of precipitatian, current streamflow, and soil moisture conditions at valley elevations are also included. The repart for Western United States presents a braad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and starage in larger reservoirs.

Snow survey and soil moisture data far the period of recard are published by the Soil Canservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

Listed below are water supply outlook reports based an Federal-State-Private Cooperative snow surveys. Those published by the Soil Conservation Service may be obtained from Soil Canservation Service, Room 507, Federal Building, 701 N. W. Glisan, Portland, Oregon 97209.

PUBLISHED BY SOIL CONSERVATION SERVICE D. A. WILLIAMS, Administrator

The Soil Canservation Service publishes reparts following the principal snow survey dates fram January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be abtained fram Soil Conservation Service, Western Regional Technical Service Center, Room 507, 701 N. W. Glisan, Portland, Oregon 97209.

Copies of state and local reparts may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	P. O. Bax "F", Palmer, Alaska 99645
Arizana	6029 Federal Building, Phoenix, Arizona 85205
Colorado (N. Mex.)	12417 Federal Building, Denver, Colarado 80202
Idaho	P. O. Box 38, Boise, Idaho 83701
Montana	P. O. Box 855, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno Nevada 89505
Oregon	1218 S. W. Washingtan St., Portland, Oregon 97205
Utah	4001 Federal Building, Salt Lake City, Utah 84111
Washington	840 Ban Marche Bldg., Spokane, Washington 99206
Wyoming	P. O. Box 340, Casper, Wyoming 82602

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Water Supply Forecast and Snow Surveys Unit, California Department of Water Resources, P. O. Bax 388, Sacramento, California 95802 --- and for British Columbia by the Department of Lands, Farests and Water Resources, Water Resources Service, Parliament Building, Victoria, British Columbia



UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE P.O. BOX F, PALMER, ALASKA 3 · . . .

OFFICIAL BUSINESS

POSTAGE AND FEES PAID U.S.DEPARTMENT OF AGRICULTURE

FEDERAL - STATE - PRIVATE

Furnishes the basic data necessary for forecasting water supply for irrigation, domestic and municipal water supply, hydro-electric power generation , navigation , mining and industry

The Conservation of Water begins with the Snow Survey"

(2)

Library, Current Serial Record U. 5. Jepartment of Agriculture shin ton, U.L. 20250